

Dare to Compare?



MMP 3100 “Multi Media Probe”

The MMP™ provides Level, Temperature and Water (Interface) to custody transfer measurement accuracy with field proven reliability and durability.

The MMP™ 3100 is designed for use within a wide range of temperature, pressure, and products (Conductive and Non-conductive) applications.

Its rigid solid construction with no moving parts or magnets make it easy to install within most applications. Extremely reliable in both metal or fiberglass tanks, no corrosion particles sticking to magnets and hanging up the floats in older metal tanks.

The GSI MMP™ 3100 “Multi Media Probe” was specifically designed for light end, non-viscous liquids and liquefied gases, i.e., LPG bullet tanks, Underground storage tanks, Horizontal cylinder tanks, Tank trucks, Tanker rail cars, and Barges.

- MMP is easy to configure and is self-calibrating
- MMP uses Class A or DIN standard, 4-wire, 100Ohm, platinum RTDs
- The MMP Output is configurable to various engineering units, metric or English
- MMP is an Intrinsically Safe certified instrument
- MMP uses 7-14 Vdc power (ideal for alternative powering and/or remote monitoring applications (GPRS, Radio, Satellite, etc.)).
- MMP uses MODBUS RTU protocol output via (Four-wire) RS 485 electrical standard

For more information please contact GSI at www.gaugingsystemsinc.com or (281) 980-3999

